

KIMS HEALTH LABORATORY MEDICINE

Patient Name : Ishamma T M **MR No** : 000384802
Age : 77y **Sex** : Female **Bill No** : L041256126 **OP CASH**
Doctor Name : Bijay Prabhakaran Nair **Billed at** : 01-Jun-2026 9:49

Sample Type	Test Name	Result	Reference Range	Authorized Date
<u>Complete Blood Count (CBC)</u>				
BLOOD	Sample Collected at :	01-Jun-2026 11:11 AM	Received at :	01-Jun-2026 11:27 AM
	-Total Leukocyte Count (TC) (Flow cytometry)	2200 cells/cumm	4000-10000	01-Jun-2026 12:27 PM
	<u>-Differential count(flow cytometry using semiconductor laser)</u>			
	-Polymorphs	46 %	40-80	01-Jun-2026 12:27 PM
	-Lymphocytes	42.8 %	20-40	01-Jun-2026 12:27 PM
	-Monocytes	5.6 %	2-10	01-Jun-2026 12:27 PM
	-Eosinophils	3.7 %	1-6	01-Jun-2026 12:27 PM
	-Basophils	1.9 %	0-1	01-Jun-2026 12:27 PM
	Absolute Neutrophil Count	990 cells/cumm	2000-7000	01-Jun-2026 12:27 PM
	Absolute Lymphocyte Count	920 cells/cumm	1000-3000	01-Jun-2026 12:27 PM
	Absolute Monocyte Count	120 cells/cumm	200-1000	01-Jun-2026 12:27 PM
	Absolute Eosinophil Count	80 cells/cumm	20-500	01-Jun-2026 12:27 PM
	Absolute Basophil Count	40 cells/cumm	20-100	01-Jun-2026 12:27 PM
	-RBC Count(sheath flow DC detection)	3.53 million/cumm	4.50-6.50	01-Jun-2026 12:27 PM
	HEMOGLOBIN(SLS Hemoglobin)	11.3 g/dL	12-15	01-Jun-2026 12:27 PM
	-Haematocrit (PCV) (sheath flow DC detection)	35.3 %	36-47	01-Jun-2026 02:19 PM
	MCV (calculated)	100 fL	82-92	01-Jun-2026 12:27 PM
	-MCH (calculated)	32 pg	27-32	01-Jun-2026 12:27 PM
	-MCHC (calculated)	32 g/dL	32-36	01-Jun-2026 12:27 PM
	RDW (sheath flow DC detection)	18.3 %	11.60-13.70	01-Jun-2026 12:27 PM
	-Platelet Count (sheath flow DC detection / Optical)	252 thousand/cu.mm	150-400	01-Jun-2026 12:27 PM

All Investigations have their limitations which are imposed by sensitivity and specificity of individual procedures as well as the quality of specimen received by the lab. Investigations are carried out in fully automated equipment from global leaders. Daily internal quality checks are carried out which are further validated by external agencies. Partial reproduction of this report is not permitted. This is electronically generated printout.

KIMS HEALTH LABORATORY MEDICINE


Patient Name : Ishamma T M **MR No** : 000384802
Age : 77y **Sex** : Female **Bill No** : L041256126 **OP CASH**
Doctor Name : Bijay Prabhakaran Nair **Billed at** : 01-Jun-2026 9:49

Sample Type	Test Name	Result	Reference Range	Authorized Date
	MPV (sheath flow DC detection)	11.1 fL	7.80-11	01-Jun-2026 12:27 PM

* End of Report *

Note : Report carrying *** indicates an autoauthorized report

Authorized By :



Padmini R MBBS , DNB , MD (Pathology)

All Investigations have their limitations which are imposed by sensitivity and specificity of individual procedures as well as the quality of specimen received by the lab. Investigations are carried out in fully automated equipment from global leaders. Daily internal quality checks are carried out which are further validated by external agencies. Partial reproduction of this report is not permitted. This is electronically generated printout.